Name of Agency :- Sri. Sreenivas Constructions

Name Of work : -Improvement to Roads and Drains in Bhadrappa Layout and Surrounding area in Ward No.08

Measurements recorded on:- 25-04-2019 to 04-05-2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
3	KSRRB M300-1. Earth work excavation by manual means in ordinary soil involving an average horizontal throw upto 2 meters and an average lift upto 0.5m, excavated surface levelled and sides neately dressed, the disposed earth to be levelled neatly after breaking of clods complete as per specification. MORTH / Chapter 3 (P.No.142, I.No.19.1 of PW, P&IWTD SR 2016-17)										
	Kodigehalli Main Road										
	New RCC Drain										
	LHS										
	0.00	15.00	L/S	1	15.00			1.10	0.90	14.85	
	15.00	30.00	L/S	1	15.00			1.10	0.90	14.85	
	30.00	45.00	L/S	1	15.00			1.10	0.90	14.85	
	45.00	60.00	L/S	1	15.00			1.10	0.90	14.85	
	60.00	75.00	L/S	1	15.00			1.10	0.90	14.85	
	75.00	85.00	L/S	1	10.00			1.10	0.95	10.45	
	RHS										
	0.00	15.00	R/S	1	15.00			1.10	0.90	14.85	
	15.00	30.00	R/S	1	15.00			1.10	0.90	14.85	
	30.00	45.00	R/S	1	15.00			1.10	0.90	14.85	
	45.00	60.00	R/S	1	15.00			1.10	0.90	14.85	
	60.00	75.00	R/S	1	15.00			1.10	0.90	14.85	
	75.00	90.00	R/S	1	15.00			1.10	0.90	14.85	
	90.00	95.00	R/S	1	5.00			1.10	0.90	4.95	
	Desilt Only										
	LHS										
	85.00	100.00	L/S	1	15.00			0.60	0.90	8.10	Culvert Desilt
	100.00	115.00	L/S	1	15.00			0.60	0.90	8.10	
	115.00	130.00	L/S	1	15.00			0.60	0.90	8.10	
	130.00	135.00	L/S	1	5.00			0.60	0.90	2.70	
	135.00	143.30	L/S	1	8.30			0.60	0.90	4.48	Culvert Desilt
	143.30	150.00	L/S	1	6.70			0.60	0.90	3.62	
	RHS										
	95.00	101.50	R/S	0	6.50			0.60	0.90	0.00	Cross Road
	101.50	116.50	R/S	1	15.00			0.60	0.90	8.10	
	116.50	131.50	R/S	1	15.00			0.60	0.90	8.10	
	131.50	146.50	R/S	1	15.00			0.60	0.90	8.10	
	146.50	161.50	R/S	1	15.00			0.60	0.90	8.10	
	161.50	176.50	R/S	1	15.00			0.60	0.90	8.10	
	176.50	191.50	R/S	1	15.00			0.60	0.90	8.10	
	191.50	206.50	R/S	1	15.00			0.60	0.90	8.10	
	206.50	216.00	R/S	1	9.50			0.60	0.90	5.13	
	216.00	220.00	R/S	1	4.00			0.60	0.90	2.16	
	Road Truf										
	LHS										
	0.00	5.00	L/S	1	5.00			0.20	0.25	0.25	
	5.00	10.00	L/S	1	5.00			0.20	0.25	0.25	
	10.00	20.00	L/S	1	10.00			0.20	0.25	0.50	
	20.00	30.00	L/S	1	10.00			0.20	0.25	0.50	
	30.00	40.00	L/S	1	10.00			0.20	0.25	0.50	
	40.00	48.00	L/S	1	8.00			0.20	0.25	0.40	

CE FC R. Nawlakhe 9/05/2019

280.24

SREENIVAS CONSTRUCTIONS

PARTNER

Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 25-04-2019 To 04-05-2019

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	48.00	54.50	L/S	0	6.50			0.20	0.25	0.00	Culvert
	54.50	64.50	L/S	1	10.00			0.10	0.25	0.25	
	64.50	74.50	L/S	1	10.00			0.10	0.25	0.25	
	74.50	85.00	L/S	1	10.50			0.10	0.25	0.26	
	85.00	92.00	L/S	0	7.00			0.10	0.25	0.00	Culvert
	92.00	102.00	L/S	1	10.00			0.10	0.25	0.25	
	102.00	112.00	L/S	1	10.00			0.10	0.25	0.25	
	112.00	122.00	L/S	1	10.00			0.10	0.25	0.25	
	122.00	135.00	L/S	1	13.00			0.10	0.25	0.33	
	135.00	143.20	L/S	0	8.20			0.15	0.25	0.00	Culvert
	143.20	153.20	L/S	1	10.00			0.15	0.25	0.38	
	153.20	163.20	L/S	1	10.00			0.20	0.25	0.50	
	163.20	173.20	L/S	1	10.00			0.20	0.25	0.50	
	173.20	183.20	L/S	1	10.00			0.20	0.25	0.50	
	183.20	193.20	L/S	1	10.00			0.30	0.25	0.75	
	193.20	203.20	L/S	1	10.00			0.30	0.25	0.75	
	203.20	213.20	L/S	1	10.00			0.40	0.25	1.00	
	213.20	220.00	L/S	1	6.80			0.40	0.25	0.68	
	RHS										
	0.00	5.00	R/S	1	5.00			1.00	0.25	1.25	
	5.00	10.00	R/S	1	5.00			0.90	0.25	1.13	
	10.00	20.00	R/S	1	10.00			0.30	0.25	0.75	
	20.00	30.00	R/S	1	10.00			0.20	0.25	0.50	
	30.00	40.00	R/S	1	10.00			0.40	0.25	1.00	
	40.00	50.00	R/S	1	10.00			0.30	0.25	0.75	
	50.00	60.00	R/S	1	10.00			0.10	0.25	0.25	
	60.00	70.00	R/S	1	10.00			0.40	0.25	1.00	
	70.00	80.00	R/S	1	10.00			0.30	0.25	0.75	
	80.00	95.00	R/S	1	15.00			0.30	0.25	1.13	
	95.00	101.50	R/S	0	6.50			0.10	0.25	0.00	Cross Road
	101.50	111.50	R/S	1	10.00			0.30	0.25	0.75	
	111.50	121.50	R/S	1	10.00			0.30	0.25	0.75	
	121.50	131.50	R/S	1	10.00			0.20	0.25	0.50	
	131.50	141.50	R/S	1	10.00			0.30	0.25	0.75	
	141.50	151.50	R/S	1	10.00			0.10	0.25	0.25	
	151.50	161.50	R/S	1	10.00			0.30	0.25	0.75	
	161.50	171.50	R/S	1	10.00			0.20	0.25	0.50	
	171.50	181.50	R/S	1	10.00			0.40	0.25	1.00	
	181.50	191.50	R/S	1	10.00			0.40	0.25	1.00	
	191.50	201.50	R/S	1	10.00			0.30	0.25	0.75	
	201.50	211.50	R/S	1	10.00			0.30	0.25	0.75	
	211.50	220.00	R/S	1	8.50			0.20	0.25	0.43	
	Cross Road										
	LHS										
	0.00	15.00	L/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	L/S	1	15.00			0.60	0.50	4.50	
	30.00	45.00	L/S	1	15.00			0.60	0.60	5.40	
	45.00	60.00	L/S	1	15.00			0.60	0.50	4.50	

C&FC V.Nandan 04/05/2019

322.71

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

SREENIVAS CONSTRUCTIONS PARTNER

Measurements recorded on:- 25/04/2019 To 04/05/2019 CR 392.77

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	60.00	75.00	L/S	1	15.00			0.60	0.60	5.40	
	75.00	84.00	L/S	1	9.00			0.60	0.60	3.24	
	RHS										
	0.00	15.00	R/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	R/S	1	15.00			0.60	0.50	4.50	
	30.00	45.00	R/S	1	15.00			0.60	0.60	5.40	
	45.00	60.00	R/S	1	15.00			0.60	0.50	4.50	
	60.00	75.00	R/S	1	15.00			0.60	0.60	5.40	
	75.00	84.00	R/S	1	9.00			0.60	0.60	3.24	
	Cross Road										
	LHS										
	0.00	15.00	L/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	L/S	1	15.00			0.60	0.50	4.50	
	30.00	38.00	L/S	1	8.00			0.60	0.50	2.40	
	RHS										
	0.00	15.00	R/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	R/S	1	15.00			0.60	0.50	4.50	
	30.00	38.00	R/S	1	8.00			0.60	0.50	2.40	
	Cross Road										
	LHS										
	0.00	15.00	L/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	L/S	1	15.00			0.60	0.50	4.50	
	30.00	45.00	L/S	1	15.00			0.60	0.50	4.50	
	45.00	60.00	L/S	1	15.00			0.60	0.50	4.50	
	60.00	75.00	L/S	1	15.00			0.60	0.60	5.40	
	75.00	90.00	L/S	1	15.00			0.60	0.60	5.40	
	90.00	105.00	L/S	1	15.00			0.60	0.60	5.40	
	105.00	114.00	L/S	1	9.00			0.60	0.60	3.24	
	RHS										
	0.00	15.00	R/S	1	15.00			0.60	0.50	4.50	
	15.00	30.00	R/S	1	15.00			0.60	0.50	4.50	
	30.00	45.00	R/S	1	15.00			0.60	0.50	4.50	
	45.00	60.00	R/S	1	15.00			0.60	0.50	4.50	
	60.00	75.00	R/S	1	15.00			0.60	0.60	5.40	
	75.00	90.00	R/S	1	15.00			0.60	0.60	5.40	
	90.00	105.00	R/S	1	15.00			0.60	0.60	5.40	
	105.00	114.00	R/S	1	9.00			0.60	0.60	3.24	
	Over Burden Earth										
	Kodigehalli Main Road										
	From SWD to Mutturaya Swamy Temple										
				2	10.00			1.00	0.90	18.00	
				2	5.00			1.40	1.00	14.00	
				3	5.00			0.85	0.80	10.20	
								Total Quantity		498.77	Cum

CE & FC
V. Nandha 04/05/19

Consultant

For SREENIVAS CONSTRUCTIONS

PARTNER

Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 04-05-2019 to 06/05/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
4	KSRB 4-1.2: Providing and laying in position plain cement concrete of mix 1:3:6 with OPC cement @ 220kgs, with 40mm and down size graded granite metal coarse aggregates @ 0.892 cum and fine aggregates @ 0.465 cum, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation including cost of all materials, labour, HOM of machinery, curing complete as per specifications. Specification No. KBS 4.1, 4.2. (P.No.12, LNo.4.2 of PW,P&IWTD S.R 2016-17)										
	Kodigehalli Main Road										
	New RCC Drain										
	LHS										
	0.00	15.00	L/S	1	15.00			1.10	0.15	2.48	
	15.00	30.00	L/S	1	15.00			1.10	0.15	2.48	
	30.00	45.00	L/S	1	15.00			1.10	0.15	2.48	
	45.00	60.00	L/S	1	15.00			1.10	0.15	2.48	
	60.00	75.00	L/S	1	15.00			1.10	0.15	2.48	
	75.00	85.00	L/S	1	10.00			1.10	0.15	1.65	
	RHS										
	0.00	15.00	R/S	1	15.00			1.10	0.15	2.48	
	15.00	30.00	R/S	1	15.00			1.10	0.15	2.48	
	30.00	45.00	R/S	1	15.00			1.10	0.15	2.48	
	45.00	60.00	R/S	1	15.00			1.10	0.15	2.48	
	60.00	75.00	R/S	1	15.00			1.10	0.15	2.48	
	75.00	90.00	R/S	1	15.00			1.10	0.15	2.48	
	90.00	95.00	R/S	1	5.00			1.10	0.15	0.83	
	Road Truf										
	LHS										
	0.00	5.00	L/S	1	5.00			0.20	0.10	0.10	
	5.00	10.00	L/S	1	5.00			0.20	0.10	0.10	
	10.00	20.00	L/S	1	10.00			0.20	0.10	0.20	
	20.00	30.00	L/S	1	10.00			0.20	0.10	0.20	
	30.00	40.00	L/S	1	10.00			0.20	0.10	0.20	
	40.00	48.00	L/S	1	8.00			0.20	0.10	0.16	
	48.00	54.50	L/S	0	6.50			0.20	0.10	0.00	
	54.50	64.50	L/S	1	10.00			0.10	0.10	0.10	
	64.50	74.50	L/S	1	10.00			0.10	0.10	0.10	
	74.50	85.00	L/S	1	10.50			0.10	0.10	0.11	
	85.00	92.00	L/S	0	7.00			0.10	0.10	0.00	
	92.00	102.00	L/S	1	10.00			0.10	0.10	0.10	
	102.00	112.00	L/S	1	10.00			0.10	0.10	0.10	
	112.00	122.00	L/S	1	10.00			0.10	0.10	0.10	
	122.00	135.00	L/S	1	13.00			0.10	0.10	0.13	
	135.00	143.20	L/S	0	8.20			0.15	0.10	0.00	
	143.20	153.20	L/S	1	10.00			0.15	0.10	0.15	
	153.20	163.20	L/S	1	10.00			0.20	0.10	0.20	
	163.20	173.20	L/S	1	10.00			0.20	0.10	0.20	
	173.20	183.20	L/S	1	10.00			0.20	0.10	0.20	
	183.20	193.20	L/S	1	10.00			0.30	0.10	0.30	
	193.20	203.20	L/S	1	10.00			0.30	0.10	0.30	

32.75

CE F C
Ex. Nandini 06/05/19

for SREENIVASA CONSTRUCTIONS

PARTNER

Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 06/05/2029

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	203.20	213.20	L/S	1	10.00			0.40	0.10	0.40	
	213.20	220.00	L/S	1	6.80			0.40	0.10	0.27	
	RHS										
	0.00	5.00	R/S	1	5.00			1.00	0.10	0.50	
	5.00	10.00	R/S	1	5.00			0.90	0.10	0.45	
	10.00	20.00	R/S	1	10.00			0.30	0.10	0.30	
	20.00	30.00	R/S	1	10.00			0.20	0.10	0.20	
	30.00	40.00	R/S	1	10.00			0.40	0.10	0.40	
	40.00	50.00	R/S	1	10.00			0.30	0.10	0.30	
	50.00	60.00	R/S	1	10.00			0.10	0.10	0.10	
	60.00	70.00	R/S	1	10.00			0.40	0.10	0.40	
	70.00	80.00	R/S	1	10.00			0.30	0.10	0.30	
	80.00	95.00	R/S	1	15.00			0.30	0.10	0.45	
	95.00	101.50	R/S	0	6.50			0.10	0.10	0.00	
	101.50	111.50	R/S	1	10.00			0.30	0.10	0.30	
	111.50	121.50	R/S	1	10.00			0.30	0.10	0.30	
	121.50	131.50	R/S	1	10.00			0.20	0.10	0.20	
	131.50	141.50	R/S	1	10.00			0.30	0.10	0.30	
	141.50	151.50	R/S	1	10.00			0.10	0.10	0.10	
	151.50	161.50	R/S	1	10.00			0.30	0.10	0.30	
	161.50	171.50	R/S	1	10.00			0.20	0.10	0.20	
	171.50	181.50	R/S	1	10.00			0.40	0.10	0.40	
	181.50	191.50	R/S	1	10.00			0.40	0.10	0.40	
	191.50	201.50	R/S	1	10.00			0.30	0.10	0.30	
	201.50	211.50	R/S	1	10.00			0.30	0.10	0.30	
	211.50	220.00	R/S	1	8.50			0.20	0.10	0.17	
	Vent Concrete										
	LHS										
	85.00	100.00	L/S	1.00	15.00			0.60	0.10	0.90	
	100.00	115.00	L/S	1.00	15.00			0.60	0.10	0.90	
	115.00	130.00	L/S	1.00	15.00			0.60	0.10	0.90	
	130.00	135.00	L/S	1.00	5.00			0.60	0.10	0.30	
	135.00	143.30	L/S	1.00	8.30			0.60	0.10	0.50	
	143.30	150.00	L/S	1.00	6.70			0.60	0.10	0.40	
	RHS										
	95.00	101.50	R/S	0.00	6.50			0.60	0.10	0.00	**Cross Road**
	101.50	116.50	R/S	1.00	15.00			0.60	0.10	0.90	
	116.50	131.50	R/S	1.00	15.00			0.60	0.10	0.90	
	131.50	146.50	R/S	1.00	15.00			0.60	0.10	0.90	
	146.50	161.50	R/S	1.00	15.00			0.60	0.10	0.90	
	161.50	176.50	R/S	1.00	15.00			0.60	0.10	0.90	
	176.50	191.50	R/S	1.00	15.00			0.60	0.10	0.90	
	191.50	206.50	R/S	1.00	15.00			0.60	0.10	0.90	
	206.50	216.00	R/S	1.00	9.50			0.60	0.10	0.57	
	216.00	220.00	R/S	1.00	4.00			0.60	0.10	0.24	
								Total Quantity		**51.10**	**Cum**

CK 51.75

CE & FC 06/05/29

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

for SREENIVASA CONSTRUCTIONS

PARTNER

Measurements recorded on:- 16/05/2019 to 17/05/2019.

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
5	Providing laying plain/ reinforced cement concrete M20 Grade for Box Drain walls of thickness 10cm to 20cm including centering shuttering for work etc. complete as per approved drawing and design MORTH specification No. 1500, 1700, 2200. (P.No.265, I.No.37.59.2 of PW, P&IWTD SR 2016-17)										
	Bottom Raft										
	Kodigehalli Main Road										
	New RCC Drain										
	LHS										
	0.00	15.00	L/S	1	15.00			0.90	0.15	2.03	
	15.00	30.00	L/S	1	15.00			0.90	0.15	2.03	
	30.00	45.00	L/S	1	15.00			0.90	0.15	2.03	
	45.00	60.00	L/S	1	15.00			0.90	0.15	2.03	
	60.00	75.00	L/S	1	15.00			0.90	0.15	2.03	
	75.00	85.00	L/S	1	10.00			0.90	0.15	1.35	
	RHS										
	0.00	15.00	R/S	1	15.00			0.90	0.15	2.03	
	15.00	30.00	R/S	1	15.00			0.90	0.15	2.03	
	30.00	45.00	R/S	1	15.00			0.90	0.15	2.03	
	45.00	60.00	R/S	1	15.00			0.90	0.15	2.03	
	60.00	75.00	R/S	1	15.00			0.90	0.15	2.03	
	75.00	90.00	R/S	1	15.00			0.90	0.15	2.03	
	90.00	95.00	R/S	1	5.00			0.90	0.15	0.68	
	Side Wall										
	LHS										
	0.00	15.00	L/S	2	15.00			0.15	0.65	2.93	
	15.00	30.00	L/S	2	15.00			0.15	0.65	2.93	
	30.00	45.00	L/S	2	15.00			0.15	0.65	2.93	
	45.00	60.00	L/S	2	15.00			0.15	0.65	2.93	
	60.00	75.00	L/S	2	15.00			0.15	0.65	2.93	
	75.00	85.00	L/S	2	10.00			0.15	0.70	2.10	
	RHS										
	0.00	15.00	R/S	2	15.00			0.15	0.65	2.93	
	15.00	30.00	R/S	2	15.00			0.15	0.65	2.93	
	30.00	45.00	R/S	2	15.00			0.15	0.65	2.93	
	45.00	60.00	R/S	2	15.00			0.15	0.65	2.93	
	60.00	75.00	R/S	2	15.00			0.15	0.65	2.93	
	75.00	90.00	R/S	2	15.00			0.15	0.65	2.93	
	90.00	95.00	R/S	2	5.00			0.15	0.65	0.98	
	Road Truf										
	LHS										
	0.00	5.00	L/S	1	5.00			0.20	0.10	0.10	
	5.00	10.00	L/S	1	5.00			0.20	0.10	0.10	
	10.00	20.00	L/S	1	10.00			0.20	0.10	0.20	
	20.00	30.00	L/S	1	10.00			0.20	0.10	0.20	
	30.00	40.00	L/S	1	10.00			0.20	0.10	0.20	
	40.00	48.00	L/S	1	8.00			0.20	0.10	0.16	
	48.00	54.50	L/S	0	6.50			0.20	0.10	0.00	
	54.50	64.50	L/S	1	10.00			0.10	0.10	0.10	

CE FC Knadiga 23/5/19

Consultant

SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Enginee

60.61

Measurements recorded on:- 17/05/2019

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	64.50	74.50	L/S	1	10.00			0.10	0.10	0.10	
	74.50	85.00	L/S	1	10.50			0.10	0.10	0.11	
	85.00	92.00	L/S	0	7.00			0.10	0.10	0.00	culvert
	92.00	102.00	L/S	1	10.00			0.10	0.10	0.10	
	102.00	112.00	L/S	1	10.00			0.10	0.10	0.10	
	112.00	122.00	L/S	1	10.00			0.10	0.10	0.10	
	122.00	135.00	L/S	1	13.00			0.10	0.10	0.13	
	135.00	143.20	L/S	0	8.20			0.15	0.10	0.00	culvert
	143.20	153.20	L/S	1	10.00			0.15	0.10	0.15	
	153.20	163.20	L/S	1	10.00			0.20	0.10	0.20	
	163.20	173.20	L/S	1	10.00			0.20	0.10	0.20	
	173.20	183.20	L/S	1	10.00			0.20	0.10	0.20	
	183.20	193.20	L/S	1	10.00			0.30	0.10	0.30	
	193.20	203.20	L/S	1	10.00			0.30	0.10	0.30	
	203.20	213.20	L/S	1	10.00			0.40	0.10	0.40	
	213.20	220.00	L/S	1	6.80			0.40	0.10	0.27	
	RHS										
	0.00	5.00	R/S	1	5.00			1.00	0.10	0.50	
	5.00	10.00	R/S	1	5.00			0.90	0.10	0.45	
	10.00	20.00	R/S	1	10.00			0.30	0.10	0.30	
	20.00	30.00	R/S	1	10.00			0.20	0.10	0.20	
	30.00	40.00	R/S	1	10.00			0.40	0.10	0.40	
	40.00	50.00	R/S	1	10.00			0.30	0.10	0.30	
	50.00	60.00	R/S	1	10.00			0.10	0.10	0.10	
	60.00	70.00	R/S	1	10.00			0.40	0.10	0.40	
	70.00	80.00	R/S	1	10.00			0.30	0.10	0.30	
	80.00	95.00	R/S	1	15.00			0.30	0.10	0.45	
	95.00	101.50	R/S	0	6.50			0.10	0.10	0.00	C/S Road
	101.50	111.50	R/S	1	10.00			0.30	0.10	0.30	
	111.50	121.50	R/S	1	10.00			0.30	0.10	0.30	
	121.50	131.50	R/S	1	10.00			0.20	0.10	0.20	
	131.50	141.50	R/S	1	10.00			0.30	0.10	0.30	
	141.50	151.50	R/S	1	10.00			0.10	0.10	0.10	
	151.50	161.50	R/S	1	10.00			0.30	0.10	0.30	
	161.50	171.50	R/S	1	10.00			0.20	0.10	0.20	
	171.50	181.50	R/S	1	10.00			0.40	0.10	0.40	
	181.50	191.50	R/S	1	10.00			0.40	0.10	0.40	
	191.50	201.50	R/S	1	10.00			0.30	0.10	0.30	
	201.50	211.50	R/S	1	10.00			0.30	0.10	0.30	
	211.50	220.00	R/S	1	8.50			0.20	0.10	0.17	
	Vent Concrete										
	LHS										
	85.00	100.00	L/S	1	15.00			0.60	0.15	1.35	
	100.00	115.00	L/S	1	15.00			0.60	0.15	1.35	
	115.00	130.00	L/S	1	15.00			0.60	0.15	1.35	
	130.00	135.00	L/S	1	5.00			0.60	0.15	0.45	
	135.00	143.30	L/S	1	8.30			0.60	0.15	0.75	
	143.30	150.00	L/S	1	6.70			0.60	0.15	0.60	

C & F K. Nandlal 17/05/19

15.79

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

PARTNER

Measurements recorded on:- 17/05/2019

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	RHS										
	95.00	101.50	R/S	0	6.50			0.60	0.15	0.00	Cross Road
	101.50	116.50	R/S	1	15.00			0.60	0.15	1.35	
	116.50	131.50	R/S	1	15.00			0.60	0.15	1.35	
	131.50	146.50	R/S	1	15.00			0.60	0.15	1.35	
	146.50	161.50	R/S	1	15.00			0.60	0.15	1.35	
	161.50	176.50	R/S	1	15.00			0.60	0.15	1.35	
	176.50	191.50	R/S	1	15.00			0.60	0.15	1.35	
	191.50	206.50	R/S	1	15.00			0.60	0.15	1.35	
	206.50	216.00	R/S	1	9.50			0.60	0.15	0.86	
	216.00	220.00	R/S	1	4.00			0.60	0.15	0.36	
	Kodigehalli Main Road										
	Coping Concrete										
	LHS										
	85.00	92.00	2.00	1	7.00			0.45	0.10	0.63	Culvert
	92.00	101.20	2.00	1	9.20			0.15	0.10	0.28	
	101.20	111.20	2.00	1	10.00			0.15	0.10	0.30	
	111.20	121.20	2.00	1	10.00			0.15	0.10	0.30	
	121.20	131.20	2.00	1	10.00			0.15	0.10	0.30	
	131.20	135.00	2.00	1	3.80			0.15	0.10	0.11	
	135.00	143.30	2.00	1	8.30			0.45	0.10	0.75	Culvert
	143.30	150.00	2.00	1	6.70			0.15	0.10	0.20	
	RHS										
	95.00	101.50	2.00	0	6.50			0.15	0.10	0.00	Cross Road
	101.50	116.50	2.00	1	15.00			0.15	0.10	0.45	
	116.50	131.50	2.00	1	15.00			0.15	0.10	0.45	
	131.50	146.50	2.00	1	15.00			0.15	0.10	0.45	
	146.50	161.50	2.00	1	15.00			0.15	0.10	0.45	
	161.50	176.50	2.00	1	15.00			0.15	0.10	0.45	
	176.50	191.50	2.00	1	15.00			0.15	0.10	0.45	
	191.50	200.00	2.00	1	8.50			0.15	0.10	0.26	
							Total Quantity			92.27	
							Quantity Limited to			91.40	Cum

CE & FC
K. Nagaraju
17/5/19

Consultant

Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 10/05/2019

BOQ Item No	Description / Chainage	Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
6	KSRB - 4.9.2: Providing TMT steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, palcing in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining memebrs wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM of machinery complete as per specifications. Specification No. KBS 4.6.3. (P.No.17, I.No.4.46.3 of PW, P&IWTD SR 2016-17)									
	LHS									
	Main Bar									
	10 mm Dia		850	2.30			0.617		1206.79	
	Distributio									
	8 mm Dia		14	85.000			0.395		470.12	
	RHS									
	Main Bar									
	10 mm Dia		950	2.30			0.617		1348.77	
	Distributio									
	8 mm Dia		14	95.000			0.395		525.43	
									3551.11	
							Total Quantity		**3.55**	**Tonne**

CE&TC K. Nandini 10/5/19

Consultant

SREENIVAS CONSTRUCTIONS
PARTNER
Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 20/08/2019 To 03/09/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
10	KSRRB M300-14. Excavation for roadwork in soil with hydraulic excavator of 0.90 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to embankment location and complete as per specifications. MORTH Specification No.301 (P.No.143, I.No.19.14 of										
	Badrappa Layout										
	1st Main Road										
	UGD Cut										
	0.00	5.00		1	5.00			0.70	0.25	0.88	
	5.00	10.00		1	5.00			0.70	0.25	0.88	
	10.00	20.00		1	10.00			0.70	0.25	1.75	
	20.00	30.00		1	10.00			0.70	0.25	1.75	
	30.00	40.00		1	10.00			0.70	0.25	1.75	
	40.00	45.00		1	5.00			0.70	0.25	0.88	
	45.00	54.00		1	9.00			0.70	0.25	1.58	
	54.00	64.00		1	10.00			0.70	0.25	1.75	
	64.00	74.00		1	10.00			0.70	0.25	1.75	
	74.00	84.00		1	10.00			0.70	0.25	1.75	
	84.00	94.00		1	10.00			0.70	0.25	1.75	
	94.00	104.00		1	10.00			0.70	0.25	1.75	
	104.00	114.00		1	10.00			0.70	0.25	1.75	
	114.00	124.00		1	10.00			0.70	0.25	1.75	
	124.00	134.00		1	10.00			0.70	0.25	1.75	
	134.00	144.00		1	10.00			0.70	0.25	1.75	
	144.00	154.00		1	10.00			0.70	0.25	1.75	
	154.00	164.00		1	10.00			0.70	0.25	1.75	
	164.00	174.00		1	10.00			0.70	0.25	1.75	
	174.00	184.00		1	10.00			0.70	0.25	1.75	
	184.00	194.00		1	10.00			0.70	0.25	1.75	
	194.00	200.00		1	6.00			0.70	0.25	1.05	
	200.00	218.00		1	18.00			0.70	0.25	3.15	
	218.00	225.00		1	7.00			0.70	0.25	1.23	
	225.00	235.00		1	10.00			0.70	0.25	1.75	
	235.00	250.00		1	15.00			0.70	0.25	2.63	
	250.00	260.00		1	10.00			0.70	0.25	1.75	
	260.00	273.00		1	13.00			0.70	0.25	2.28	
	273.00	286.00		1	13.00			0.70	0.25	2.28	
	286.00	299.00		1	13.00			0.70	0.25	2.28	
	299.00	313.00		1	14.00			0.70	0.25	2.45	
	313.00	320.00		1	7.00			0.70	0.25	1.23	
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90	0.25	7.38	
	5.00	10.00		1	5.00	5.80	6.00	5.90	0.25	7.38	
	10.00	20.00		1	10.00	6.00	5.90	5.95	0.25	14.88	
	20.00	30.00		1	10.00	5.90	5.90	5.90	0.25	14.75	
	30.00	40.00		1	10.00	5.90	5.50	5.70	0.25	14.25	
	40.00	45.00		1	5.00	5.50	5.60	5.55	0.25	6.94	
	45.00	54.00		1	9.00	5.60	5.40	5.50	0.25	12.38	

CE, FC K. Nandini 03/09/19

133.97

Consultant

SREENIVAS CONSTRUCTIONS
Contractor

PARTNER

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 20/08/2019 To 03/09/2019 C/F 133.94

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	54.00	64.00		1	10.00	5.40	4.60	5.00	0.25	12.50	
	64.00	74.00		1	10.00	4.60	4.30	4.45	0.25	11.13	
	74.00	84.00		1	10.00	4.30	5.30	4.80	0.25	12.00	
	84.00	94.00		1	10.00	5.30	5.50	5.40	0.25	13.50	
	94.00	104.00		1	10.00	5.50	7.10	6.30	0.25	15.75	
	104.00	114.00		1	10.00	7.10	6.80	6.95	0.25	17.38	
	114.00	124.00		1	10.00	6.80	6.85	6.83	0.25	17.06	
	124.00	134.00		1	10.00	6.85	6.50	6.68	0.25	16.69	
	134.00	144.00		1	10.00	6.50	6.40	6.45	0.25	16.13	
	144.00	154.00		1	10.00	6.40	6.60	6.50	0.25	16.25	
	154.00	164.00		1	10.00	6.60	7.10	6.85	0.25	17.13	
	164.00	174.00		1	10.00	7.10	7.30	7.20	0.25	18.00	
	174.00	184.00		1	10.00	7.30	7.10	7.20	0.25	18.00	
	184.00	194.00		1	10.00	7.10	6.60	6.85	0.25	17.13	
	194.00	200.00		1	6.00	6.60	7.60	7.10	0.25	10.65	
	200.00	218.00		1	18.00	7.60	6.40	7.00	0.25	31.50	
	218.00	225.00		1	7.00	6.40	6.60	6.50	0.25	11.38	
	225.00	235.00		1	10.00	6.60	6.80	6.70	0.25	16.75	
	235.00	250.00		1	15.00	6.80	6.60	6.70	0.25	25.13	
	250.00	260.00		1	10.00	6.60	7.35	6.98	0.25	17.44	
	260.00	273.00		1	13.00	7.35	7.40	7.38	0.25	23.97	
	273.00	286.00		1	13.00	7.40	6.70	7.05	0.25	22.91	
	286.00	299.00		1	13.00	6.70	6.60	6.65	0.25	21.61	
	299.00	313.00		1	14.00	6.60	6.65	6.63	0.25	23.19	
	313.00	320.00		1	7.00	6.65	7.50	7.08	0.25	12.38	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	UGD CUT										
	0.00	5.00		1	5.00			1.00	0.25	1.25	
	5.00	10.00		1	5.00			1.00	0.25	1.25	
	10.00	20.00		1	10.00			1.00	0.25	2.50	
	20.00	30.00		1	10.00			1.00	0.25	2.50	
	30.00	40.00		1	10.00			1.00	0.25	2.50	
	40.00	50.00		1	10.00			1.00	0.25	2.50	
	50.00	60.00		1	10.00			1.00	0.25	2.50	
	60.00	70.00		1	10.00			1.00	0.25	2.50	
	70.00	80.00		1	10.00			1.00	0.25	2.50	
	80.00	90.00		1	10.00			1.00	0.25	2.50	
	90.00	100.00		1	10.00			1.00	0.25	2.50	
	100.00	110.00		1	10.00			1.00	0.25	2.50	
	110.00	120.00		1	10.00			1.00	0.25	2.50	
	120.00	130.00		1	10.00			1.00	0.25	2.50	
	130.00	140.00		1	10.00			1.00	0.25	2.50	
	140.00	150.00		1	10.00			1.00	0.25	2.50	
	150.00	160.00		1	10.00			1.00	0.25	2.50	
	160.00	170.00		1	10.00			1.00	0.25	2.50	
	170.00	180.00		1	10.00			1.00	0.25	2.50	
	180.00	190.00		1	10.00			1.00	0.25	2.50	

CE/FC J.T.Nagar 09/19

616.96

Consultant

SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Enginee

Measurements recorded on:- 05/09/2019 To 26/09/19

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
11	KSRRB M 400-17, Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechaniqal mix plant carriage ' of mixed Material by tipper to site, laying in uniform layers with paver in sub- base/ base course on well prepared surface and compacting with vibratory roller to achieve the desired density.complete as per specifications. MORTH Specification No. 406 (P.No.158, I.No.20.18 of PW,P&IWTD SR 2016-17)										
	Badrappa Layout										
	1st Main Road										
	UGD Cut										
	0.00	5.00		1	5.00			0.70	0.23	0.81	
	5.00	10.00		1	5.00			0.70	0.23	0.81	
	10.00	20.00		1	10.00			0.70	0.23	1.61	
	20.00	30.00		1	10.00			0.70	0.23	1.61	
	30.00	40.00		1	10.00			0.70	0.23	1.61	
	40.00	45.00		1	5.00			0.70	0.23	0.81	
	45.00	54.00		1	9.00			0.70	0.23	1.45	
	54.00	64.00		1	10.00			0.70	0.23	1.61	
	64.00	74.00		1	10.00			0.70	0.23	1.61	
	74.00	84.00		1	10.00			0.70	0.23	1.61	
	84.00	94.00		1	10.00			0.70	0.23	1.61	
	94.00	104.00		1	10.00			0.70	0.23	1.61	
	104.00	114.00		1	10.00			0.70	0.23	1.61	
	114.00	124.00		1	10.00			0.70	0.23	1.61	
	124.00	134.00		1	10.00			0.70	0.23	1.61	
	134.00	144.00		1	10.00			0.70	0.23	1.61	
	144.00	154.00		1	10.00			0.70	0.23	1.61	
	154.00	164.00		1	10.00			0.70	0.23	1.61	
	164.00	174.00		1	10.00			0.70	0.23	1.61	
	174.00	184.00		1	10.00			0.70	0.23	1.61	
	184.00	194.00		1	10.00			0.70	0.23	1.61	
	194.00	200.00		1	6.00			0.70	0.23	0.97	
	200.00	218.00		1	18.00			0.70	0.23	2.90	
	218.00	225.00		1	7.00			0.70	0.23	1.13	
	225.00	235.00		1	10.00			0.70	0.23	1.61	
	235.00	250.00		1	15.00			0.70	0.23	2.42	
	250.00	260.00		1	10.00			0.70	0.23	1.61	
	260.00	273.00		1	13.00			0.70	0.23	2.09	
	273.00	286.00		1	13.00			0.70	0.23	2.09	
	286.00	299.00		1	13.00			0.70	0.23	2.09	
	299.00	313.00		1	14.00			0.70	0.23	2.25	
	313.00	320.00		1	7.00			0.70	0.23	1.13	
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90	0.23	6.79	
	5.00	10.00		1	5.00	5.80	6.00	5.90	0.23	6.79	
	10.00	20.00		1	10.00	6.00	5.90	5.95	0.23	13.69	
	20.00	30.00		1	10.00	5.90	5.90	5.90	0.23	13.57	
	30.00	40.00		1	10.00	5.90	5.50	5.70	0.23	13.11	

C/F 105.40

For SREENIVAS CONSTRUCTIONS

PARTNER

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

Measurements recorded on:- 05/09/2019 to 26/09/2019

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	40.00	45.00		1	5.00	5.50	5.60	5.55	0.23	6.38	
	45.00	54.00		1	9.00	5.60	5.40	5.50	0.23	11.39	
	54.00	64.00		1	10.00	5.40	4.60	5.00	0.23	11.50	
	64.00	74.00		1	10.00	4.60	4.30	4.45	0.23	10.24	
	74.00	84.00		1	10.00	4.30	5.30	4.80	0.23	11.04	
	84.00	94.00		1	10.00	5.30	5.50	5.40	0.23	12.42	
	94.00	104.00		1	10.00	5.50	7.10	6.30	0.23	14.49	
	104.00	114.00		1	10.00	7.10	6.80	6.95	0.23	15.99	
	114.00	124.00		1	10.00	6.80	6.85	6.83	0.23	15.70	
	124.00	134.00		1	10.00	6.85	6.50	6.68	0.23	15.35	
	134.00	144.00		1	10.00	6.50	6.40	6.45	0.23	14.84	
	144.00	154.00		1	10.00	6.40	6.60	6.50	0.23	14.95	
	154.00	164.00		1	10.00	6.60	7.10	6.85	0.23	15.76	
	164.00	174.00		1	10.00	7.10	7.30	7.20	0.23	16.56	
	174.00	184.00		1	10.00	7.30	7.10	7.20	0.23	16.56	
	184.00	194.00		1	10.00	7.10	6.60	6.85	0.23	15.76	
	194.00	200.00		1	6.00	6.60	7.60	7.10	0.23	9.80	
	200.00	218.00		1	18.00	7.60	6.40	7.00	0.23	28.98	
	218.00	225.00		1	7.00	6.40	6.60	6.50	0.23	10.47	
	225.00	235.00		1	10.00	6.60	6.80	6.70	0.23	15.41	
	235.00	250.00		1	15.00	6.80	6.60	6.70	0.23	23.12	
	250.00	260.00		1	10.00	6.60	7.35	6.98	0.23	16.04	
	260.00	273.00		1	13.00	7.35	7.40	7.38	0.23	22.05	
	273.00	286.00		1	13.00	7.40	6.70	7.05	0.23	21.08	
	286.00	299.00		1	13.00	6.70	6.60	6.65	0.23	19.88	
	299.00	313.00		1	14.00	6.60	6.65	6.63	0.23	21.33	
	313.00	320.00		1	7.00	6.65	7.50	7.08	0.23	11.39	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	UGD CUT										
	0.00	5.00		1	5.00			1.00	0.23	1.15	
	5.00	10.00		1	5.00			1.00	0.23	1.15	
	10.00	20.00		1	10.00			1.00	0.23	2.30	
	20.00	30.00		1	10.00			1.00	0.23	2.30	
	30.00	40.00		1	10.00			1.00	0.23	2.30	
	40.00	50.00		1	10.00			1.00	0.23	2.30	
	50.00	60.00		1	10.00			1.00	0.23	2.30	
	60.00	70.00		1	10.00			1.00	0.23	2.30	
	70.00	80.00		1	10.00			1.00	0.23	2.30	
	80.00	90.00		1	10.00			1.00	0.23	2.30	
	90.00	100.00		1	10.00			1.00	0.23	2.30	
	100.00	110.00		1	10.00			1.00	0.23	2.30	
	110.00	120.00		1	10.00			1.00	0.23	2.30	
	120.00	130.00		1	10.00			1.00	0.23	2.30	
	130.00	140.00		1	10.00			1.00	0.23	2.30	
	140.00	150.00		1	10.00			1.00	0.23	2.30	
	150.00	160.00		1	10.00			1.00	0.23	2.30	
	160.00	170.00		1	10.00			1.00	0.23	2.30	

CF 105.46

563.01

CF FC J.Nambiar 30/9/19

for SRINIVAS CONSTRUCTIONS

PARTNER

Consultant | Contractor | Assistant Engineer | Assistant Executive Enginee

Measurements recorded on:- 06/09/19 To 27/09/19 Cr-563.01

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	170.00	180.00		1	10.00			1.00	0.23	2.30	
	180.00	190.00		1	10.00			1.00	0.23	2.30	
	190.00	200.00		1	10.00			1.00	0.23	2.30	
	200.00	210.00		1	10.00			1.00	0.23	2.30	
	210.00	220.00		1	10.00			1.00	0.23	2.30	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	0.00	5.00		1	5.00	10.60	10.00	10.30	0.23	11.85	
	5.00	10.00		1	5.00	10.00	10.00	10.00	0.23	11.50	
	10.00	20.00		1	10.00	10.00	10.00	10.00	0.23	23.00	
	20.00	30.00		1	10.00	10.00	9.60	9.80	0.23	22.54	
	30.00	40.00		1	10.00	9.60	9.40	9.50	0.23	21.85	
	40.00	50.00		1	10.00	9.40	9.50	9.45	0.23	21.74	
	50.00	60.00		1	10.00	9.50	9.10	9.30	0.23	21.39	
	60.00	70.00		1	10.00	9.10	8.90	9.00	0.23	20.70	
	70.00	80.00		1	10.00	8.90	9.40	9.15	0.23	21.05	
	80.00	90.00		1	10.00	9.40	10.40	9.90	0.23	22.77	
	90.00	100.00		1	10.00	10.40	7.10	8.75	0.23	20.13	
	100.00	110.00		1	10.00	7.10	7.40	7.25	0.23	16.68	
	110.00	120.00		1	10.00	7.40	7.60	7.50	0.23	17.25	
	120.00	130.00		1	10.00	7.60	7.70	7.65	0.23	17.60	
	130.00	140.00		1	10.00	7.70	8.50	8.10	0.23	18.63	
	140.00	150.00		1	10.00	8.50	8.90	8.70	0.23	20.01	
	150.00	160.00		1	10.00	8.90	9.30	9.10	0.23	20.93	
	160.00	170.00		1	10.00	9.30	9.30	9.30	0.23	21.39	
	170.00	180.00		1	10.00	9.30	8.90	9.10	0.23	20.93	
	180.00	190.00		1	10.00	8.90	9.30	9.10	0.23	20.93	
	190.00	200.00		1	10.00	9.30	10.20	9.75	0.23	22.43	
	200.00	210.00		1	10.00	10.20	9.20	9.70	0.23	22.31	
	210.00	220.00		1	10.00	9.20	8.30	8.75	0.23	20.13	
									Total Qty	**1032.21**	
								BOQ Quantity		**399.00**	
								Quantity Up to 125%		**399.00**	**Cum**
								Quantity Above 125%		**633.21**	**Cum**

CGFC R.Naveen 27/9/19

SREENIVAS CONSTRUCTIONS
PARTNER

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

Measurements recorded on:- 12/11/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
12	KSRRB M 500-6, Providing and applying primer coat with SS bitumen emulsion on prepared surface of granular Base such as WBM WMM including clearing of road surface and spraying primer at the rate of 0.60 kglsqm using mechanical means complete as per specifications. As per MORTH specification clause No.										
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90		29.50	
	5.00	10.00		1	5.00	5.80	6.00	5.90		29.50	
	10.00	20.00		1	10.00	6.00	5.90	5.95		59.50	
	20.00	30.00		1	10.00	5.90	5.90	5.90		59.00	
	30.00	40.00		1	10.00	5.90	5.50	5.70		57.00	
	40.00	45.00		1	5.00	5.50	5.60	5.55		27.75	
	45.00	54.00		1	9.00	5.60	5.40	5.50		49.50	
	54.00	64.00		1	10.00	5.40	4.60	5.00		50.00	
	64.00	74.00		1	10.00	4.60	4.30	4.45		44.50	
	74.00	84.00		1	10.00	4.30	5.30	4.80		48.00	
	84.00	94.00		1	10.00	5.30	5.50	5.40		54.00	
	94.00	104.00		1	10.00	5.50	7.10	6.30		63.00	
	104.00	114.00		1	10.00	7.10	6.80	6.95		69.50	
	114.00	124.00		1	10.00	6.80	6.85	6.83		68.25	
	124.00	134.00		1	10.00	6.85	6.50	6.68		66.75	
	134.00	144.00		1	10.00	6.50	6.40	6.45		64.50	
	144.00	154.00		1	10.00	6.40	6.60	6.50		65.00	
	154.00	164.00		1	10.00	6.60	7.10	6.85		68.50	
	164.00	174.00		1	10.00	7.10	7.30	7.20		72.00	
	174.00	184.00		1	10.00	7.30	7.10	7.20		72.00	
	184.00	194.00		1	10.00	7.10	6.60	6.85		68.50	
	194.00	200.00		1	6.00	6.60	7.60	7.10		42.60	
	200.00	218.00		1	18.00	7.60	6.40	7.00		126.00	
	218.00	225.00		1	7.00	6.40	6.60	6.50		45.50	
	225.00	235.00		1	10.00	6.60	6.80	6.70		67.00	
	235.00	250.00		1	15.00	6.80	6.60	6.70		100.50	
	250.00	260.00		1	10.00	6.60	7.35	6.98		69.75	
	260.00	273.00		1	13.00	7.35	7.40	7.38		95.88	
	273.00	286.00		1	13.00	7.40	6.70	7.05		91.65	
	286.00	299.00		1	13.00	6.70	6.60	6.65		86.45	
	299.00	313.00		1	14.00	6.60	6.65	6.63		92.75	
	313.00	320.00		1	7.00	6.65	7.50	7.08		49.53	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	0.00	5.00		1	5.00	10.60	10.00	10.30		51.50	
	5.00	10.00		1	5.00	10.00	10.00	10.00		50.00	
	10.00	20.00		1	10.00	10.00	10.00	10.00		100.00	
	20.00	30.00		1	10.00	10.00	9.60	9.80		98.00	
	30.00	40.00		1	10.00	9.60	9.40	9.50		95.00	
	40.00	50.00		1	10.00	9.40	9.50	9.45		94.50	
	50.00	60.00		1	10.00	9.50	9.10	9.30		93.00	
	60.00	70.00		1	10.00	9.10	8.90	9.00		90.00	

Consultant

SREENIVAS CONSTRUCTIONS
PARTNER
Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 12/11/2019

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	70.00	80.00		1	10.00	8.90	9.40	9.15		91.50	
	80.00	90.00		1	10.00	9.40	10.40	9.90		99.00	
	90.00	100.00		1	10.00	10.40	7.10	8.75		87.50	
	100.00	110.00		1	10.00	7.10	7.40	7.25		72.50	
	110.00	120.00		1	10.00	7.40	7.60	7.50		75.00	
	120.00	130.00		1	10.00	7.60	7.70	7.65		76.50	
	130.00	140.00		1	10.00	7.70	8.50	8.10		81.00	
	140.00	150.00		1	10.00	8.50	8.90	8.70		87.00	
	150.00	160.00		1	10.00	8.90	9.30	9.10		91.00	
	160.00	170.00		1	10.00	9.30	9.30	9.30		93.00	
	170.00	180.00		1	10.00	9.30	8.90	9.10		91.00	
	180.00	190.00		1	10.00	8.90	9.30	9.10		91.00	
	190.00	200.00		1	10.00	9.30	10.20	9.75		97.50	
	200.00	210.00		1	10.00	10.20	9.20	9.70		97.00	
	210.00	220.00		1	10.00	9.20	8.30	8.75		87.50	
									Total Qty	4043.85	
									BOQ Quantity	1596.00	
									Quantity Up to 125%	1596.00	Sq-m
									Quantity Above 125%	2447.85	Sq-m

Cf 4725.85 17

C & FC JC-Nandyal 12/11/19

Consultant

SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 12/11/2018

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
13	KSRRB 500-2: Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and / or compressed air to receive bituminous treatement including cost of all materials, labour, HOM of machineries complete as per specifications. MORTH Spec, Chapter 5 (P.No.161,										
	Cross Road										
	0.00	15.00		1	15.00	4.60	4.40	4.50		67.50	
	15.00	30.00		1	15.00	4.40	4.00	4.20		63.00	
	30.00	45.00		1	15.00	4.00	4.00	4.00		60.00	
	45.00	60.00		1	15.00	4.00	4.00	4.00		60.00	
	60.00	75.00		1	15.00	4.00	3.50	3.75		56.25	
	75.00	84.00		1	9.00	3.50	3.00	3.25		29.25	
	Cross Road										
	0.00	15.00		1	15.00	5.20	3.40	4.30		64.50	
	15.00	30.00		1	15.00	3.40	5.10	4.25		63.75	
	30.00	37.00		1	7.00	5.10	5.00	5.05		35.35	
	Cross Road										
	0.00	15.00		1	15.00	4.70	5.20	4.95		74.25	
	15.00	30.00		1	15.00	5.20	5.40	5.30		79.50	
	30.00	45.00		1	15.00	5.40	4.90	5.15		77.25	
	45.00	60.00		1	15.00	4.90	4.90	4.90		73.50	
	60.00	75.00		1	15.00	4.90	4.20	4.55		68.25	
	75.00	90.00		1	15.00	4.20	5.50	4.85		72.75	
	90.00	105.00		1	15.00	5.50	6.60	6.05		90.75	
	105.00	114.00		1	9.00	6.60	6.90	6.75		60.75	
	Kodigehalli Main Road										
	From SWD to Mutturaya Swamy Temple										
	Profile Correction										
				4	5.00			3.00		60.00	
				2	5.00			3.00		30.00	
				2	15.00			1.00		30.00	
				3	6.00			2.10		37.80	
				4	4.00			4.00		64.00	
				2	30.00			0.60		36.00	
				4	5.00			3.00		60.00	
				2	2.00			1.65		6.60	
				2	20.00			0.60		24.00	
				3	5.00			5.00		75.00	
				4	6.00			4.00		96.00	
								Total Quantity		**1616.00**	**Sqm**

CGFC V. Nandini 12/11/18

Consultant

For SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 12/11/2019, 13/11/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
14	KSRRB M500-7 : Providing and applying tack coat using 80/100 grade bitumen (VG10) on prepared black topped surfaces at 2.5 Kg per 10 sqm, heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour, HOM of machineries complete as per specifications.MORTH / Chapter 5 (P.No.161 I.No.21.7 of PW,P&IWTD SR of										
	For DBM										
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90		29.50	
	5.00	10.00		1	5.00	5.80	6.00	5.90		29.50	
	10.00	20.00		1	10.00	6.00	5.90	5.95		59.50	
	20.00	30.00		1	10.00	5.90	5.90	5.90		59.00	
	30.00	40.00		1	10.00	5.90	5.50	5.70		57.00	
	40.00	45.00		1	5.00	5.50	5.60	5.55		27.75	
	45.00	54.00		1	9.00	5.60	5.40	5.50		49.50	
	54.00	64.00		1	10.00	5.40	4.60	5.00		50.00	
	64.00	74.00		1	10.00	4.60	4.30	4.45		44.50	
	74.00	84.00		1	10.00	4.30	5.30	4.80		48.00	
	84.00	94.00		1	10.00	5.30	5.50	5.40		54.00	
	94.00	104.00		1	10.00	5.50	7.10	6.30		63.00	
	104.00	114.00		1	10.00	7.10	6.80	6.95		69.50	
	114.00	124.00		1	10.00	6.80	6.85	6.83		68.25	
	124.00	134.00		1	10.00	6.85	6.50	6.68		66.75	
	134.00	144.00		1	10.00	6.50	6.40	6.45		64.50	
	144.00	154.00		1	10.00	6.40	6.60	6.50		65.00	
	154.00	164.00		1	10.00	6.60	7.10	6.85		68.50	
	164.00	174.00		1	10.00	7.10	7.30	7.20		72.00	
	174.00	184.00		1	10.00	7.30	7.10	7.20		72.00	
	184.00	194.00		1	10.00	7.10	6.60	6.85		68.50	
	194.00	200.00		1	6.00	6.60	7.60	7.10		42.60	
	200.00	218.00		1	18.00	7.60	6.40	7.00		126.00	
	218.00	225.00		1	7.00	6.40	6.60	6.50		45.50	
	225.00	235.00		1	10.00	6.60	6.80	6.70		67.00	
	235.00	250.00		1	15.00	6.80	6.60	6.70		100.50	
	250.00	260.00		1	10.00	6.60	7.35	6.98		69.75	
	260.00	273.00		1	13.00	7.35	7.40	7.38		95.88	
	273.00	286.00		1	13.00	7.40	6.70	7.05		91.65	
	286.00	299.00		1	13.00	6.70	6.60	6.65		86.45	
	299.00	313.00		1	14.00	6.60	6.65	6.63		92.75	
	313.00	320.00		1	7.00	6.65	7.50	7.08		49.53	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	0.00	5.00		1	5.00	10.60	10.00	10.30		51.50	
	5.00	10.00		1	5.00	10.00	10.00	10.00		50.00	
	10.00	20.00		1	10.00	10.00	10.00	10.00		100.00	
	20.00	30.00		1	10.00	10.00	9.60	9.80		98.00	
	30.00	40.00		1	10.00	9.60	9.40	9.50		95.00	
	40.00	50.00		1	10.00	9.40	9.50	9.45		94.50	

CG FC JK Nandy 18/11/19

2542-85

Consultant

M/S SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Engineer

2542.85 20

Measurements recorded on:- 13/11/2019 , 18/11/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	50.00	60.00		1	10.00	9.50	9.10	9.30		93.00	
	60.00	70.00		1	10.00	9.10	8.90	9.00		90.00	
	70.00	80.00		1	10.00	8.90	9.40	9.15		91.50	
	80.00	90.00		1	10.00	9.40	10.40	9.90		99.00	
	90.00	100.00		1	10.00	10.40	7.10	8.75		87.50	
	100.00	110.00		1	10.00	7.10	7.40	7.25		72.50	
	110.00	120.00		1	10.00	7.40	7.60	7.50		75.00	
	120.00	130.00		1	10.00	7.60	7.70	7.65		76.50	
	130.00	140.00		1	10.00	7.70	8.50	8.10		81.00	
	140.00	150.00		1	10.00	8.50	8.90	8.70		87.00	
	150.00	160.00		1	10.00	8.90	9.30	9.10		91.00	
	160.00	170.00		1	10.00	9.30	9.30	9.30		93.00	
	170.00	180.00		1	10.00	9.30	8.90	9.10		91.00	
	180.00	190.00		1	10.00	8.90	9.30	9.10		91.00	
	190.00	200.00		1	10.00	9.30	10.20	9.75		97.50	
	200.00	210.00		1	10.00	10.20	9.20	9.70		97.00	
	210.00	220.00		1	10.00	9.20	8.30	8.75		87.50	
	Cross Road										
	0.00	15.00		1	15.00	4.60	4.40	4.50		67.50	
	15.00	30.00		1	15.00	4.40	4.00	4.20		63.00	
	30.00	45.00		1	15.00	4.00	4.00	4.00		60.00	
	45.00	60.00		1	15.00	4.00	4.00	4.00		60.00	
	60.00	75.00		1	15.00	4.00	3.50	3.75		56.25	
	75.00	84.00		1	9.00	3.50	3.00	3.25		29.25	
	Cross Road										
	0.00	15.00		1	15.00	5.20	3.40	4.30		64.50	
	15.00	30.00		1	15.00	3.40	5.10	4.25		63.75	
	30.00	37.00		1	7.00	5.10	5.00	5.05		35.35	
	Cross Road										
	0.00	15.00		1	15.00	4.70	5.20	4.95		74.25	
	15.00	30.00		1	15.00	5.20	5.40	5.30		79.50	
	30.00	45.00		1	15.00	5.40	4.90	5.15		77.25	
	45.00	60.00		1	15.00	4.90	4.90	4.90		73.50	
	60.00	75.00		1	15.00	4.90	4.20	4.55		68.25	
	75.00	90.00		1	15.00	4.20	5.50	4.85		72.75	
	90.00	105.00		1	15.00	5.50	6.60	6.05		90.75	
	105.00	114.00		1	9.00	6.60	6.90	6.75		60.75	
	Kodigehalli Main Road										
	From SWD to Mutturaya Swamy Temple										
	Profile Correction										
				4	5.00			3.00		60.00	
				2	5.00			3.00		30.00	
				2	15.00			1.00		30.00	
				3	6.00			2.10		37.80	
				4	4.00			4.00		64.00	

CE/EE Karnataka 18/11/19

5382.25

Consultant

For SREENIVAS CONSTRUCTIONS

PARTNER

Contractor

Assistant Engineer

Assistant Executive Engineer

Measurements recorded on:- 2/12/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
				2	30.00			0.60		36.00	
				4	5.00			3.00		60.00	
				2	2.00			1.65		6.60	
				2	20.00			0.60		24.00	
				3	5.00			5.00		75.00	
				4	6.00			4.00		96.00	
	For Laying BC										
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90		29.50	
	5.00	10.00		1	5.00	5.80	6.00	5.90		29.50	
	10.00	20.00		1	10.00	6.00	5.90	5.95		59.50	
	20.00	30.00		1	10.00	5.90	5.90	5.90		59.00	
	30.00	40.00		1	10.00	5.90	5.50	5.70		57.00	
	40.00	45.00		1	5.00	5.50	5.60	5.55		27.75	
	45.00	54.00		1	9.00	5.60	5.40	5.50		49.50	
	54.00	64.00		1	10.00	5.40	4.60	5.00		50.00	
	64.00	74.00		1	10.00	4.60	4.30	4.45		44.50	
	74.00	84.00		1	10.00	4.30	5.30	4.80		48.00	
	84.00	94.00		1	10.00	5.30	5.50	5.40		54.00	
	94.00	104.00		1	10.00	5.50	7.10	6.30		63.00	
	104.00	114.00		1	10.00	7.10	6.80	6.95		69.50	
	114.00	124.00		1	10.00	6.80	6.85	6.83		68.25	
	124.00	134.00		1	10.00	6.85	6.50	6.68		66.75	
	134.00	144.00		1	10.00	6.50	6.40	6.45		64.50	
	144.00	154.00		1	10.00	6.40	6.60	6.50		65.00	
	154.00	164.00		1	10.00	6.60	7.10	6.85		68.50	
	164.00	174.00		1	10.00	7.10	7.30	7.20		72.00	
	174.00	184.00		1	10.00	7.30	7.10	7.20		72.00	
	184.00	194.00		1	10.00	7.10	6.60	6.85		68.50	
	194.00	200.00		1	6.00	6.60	7.60	7.10		42.60	
	200.00	218.00		1	18.00	7.60	6.40	7.00		126.00	
	218.00	225.00		1	7.00	6.40	6.60	6.50		45.50	
	225.00	235.00		1	10.00	6.60	6.80	6.70		67.00	
	235.00	250.00		1	15.00	6.80	6.60	6.70		100.50	
	250.00	260.00		1	10.00	6.60	7.35	6.98		69.75	
	260.00	273.00		1	13.00	7.35	7.40	7.38		95.88	
	273.00	286.00		1	13.00	7.40	6.70	7.05		91.65	
	286.00	299.00		1	13.00	6.70	6.60	6.65		86.45	
	299.00	313.00		1	14.00	6.60	6.65	6.63		92.75	
	313.00	320.00		1	7.00	6.65	7.50	7.08		49.53	
	Kodigehalli Main Road										
	From Outer Ring Road to SWD										
	0.00	5.00		1	5.00	10.60	10.00	10.30		51.50	
	5.00	10.00		1	5.00	10.00	10.00	10.00		50.00	
	10.00	20.00		1	10.00	10.00	10.00	10.00		100.00	
	20.00	30.00		1	10.00	10.00	9.60	9.80		98.00	
	30.00	40.00		1	10.00	9.60	9.40	9.50		95.00	

CK 5302.25

8108.20

CE&FC
J.Nandini 2/12/19

FOR SREENIVAS CONSTRUCTIONS

PARTNER

Consultant | Contractor | Assistant Engineer | Assistant Executive Engineer

Measurements recorded on:-

BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
	40.00	50.00		1	10.00	9.40	9.50	9.45		94.50	
	50.00	60.00		1	10.00	9.50	9.10	9.30		93.00	
	60.00	70.00		1	10.00	9.10	8.90	9.00		90.00	
	70.00	80.00		1	10.00	8.90	9.40	9.15		91.50	
	80.00	90.00		1	10.00	9.40	10.40	9.90		99.00	
	90.00	100.00		1	10.00	10.40	7.10	8.75		87.50	
	100.00	110.00		1	10.00	7.10	7.40	7.25		72.50	
	110.00	120.00		1	10.00	7.40	7.60	7.50		75.00	
	120.00	130.00		1	10.00	7.60	7.70	7.65		76.50	
	130.00	140.00		1	10.00	7.70	8.50	8.10		81.00	
	140.00	150.00		1	10.00	8.50	8.90	8.70		87.00	
	150.00	160.00		1	10.00	8.90	9.30	9.10		91.00	
	160.00	170.00		1	10.00	9.30	9.30	9.30		93.00	
	170.00	180.00		1	10.00	9.30	8.90	9.10		91.00	
	180.00	190.00		1	10.00	8.90	9.30	9.10		91.00	
	190.00	200.00		1	10.00	9.30	10.20	9.75		97.50	
	200.00	210.00		1	10.00	10.20	9.20	9.70		97.00	
	210.00	220.00		1	10.00	9.20	8.30	8.75		87.50	
	Cross Road										
	0.00	15.00		1	15.00	4.60	4.40	4.50		67.50	
	15.00	30.00		1	15.00	4.40	4.00	4.20		63.00	
	30.00	45.00		1	15.00	4.00	4.00	4.00		60.00	
	45.00	60.00		1	15.00	4.00	4.00	4.00		60.00	
	60.00	75.00		1	15.00	4.00	3.50	3.75		56.25	
	75.00	84.00		1	9.00	3.50	3.00	3.25		29.25	
	Cross Road										
	0.00	15.00		1	15.00	5.20	3.40	4.30		64.50	
	15.00	30.00		1	15.00	3.40	5.10	4.25		63.75	
	30.00	37.00		1	7.00	5.10	5.00	5.05		35.35	
	Cross Road										
	0.00	15.00		1	15.00	4.70	5.20	4.95		74.25	
	15.00	30.00		1	15.00	5.20	5.40	5.30		79.50	
	30.00	45.00		1	15.00	5.40	4.90	5.15		77.25	
	45.00	60.00		1	15.00	4.90	4.90	4.90		73.50	
	60.00	75.00		1	15.00	4.90	4.20	4.55		68.25	
	75.00	90.00		1	15.00	4.20	5.50	4.85		72.75	
	90.00	105.00		1	15.00	5.50	6.60	6.05		90.75	
	105.00	114.00		1	9.00	6.60	6.90	6.75		60.75	
	Kodigehalli Main Road										
	From SWD to Mutturaya Swamy Temple										
	Profile Correction										
				4	5.00			3.00		60.00	
				2	5.00			3.00		30.00	
				2	15.00			1.00		30.00	
				3	6.00			2.10		37.80	

Ok 8158.33

10958.10

Consultant

for SREENIVAS CONSTRUCTIONS

Contractor

PARTNER

Assistant Engineer

Assistant Executive Engineer

CR/10958.10 23

Measurements recorded on:- 2/12/2019											
BOQ Item No	Description Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
				4	4.00			4.00		64.00	
				2	30.00			0.60		36.00	
				4	5.00			3.00		60.00	
				2	2.00			1.65		6.60	
				2	20.00			0.60		24.00	
				3	5.00			5.00		75.00	
				4	6.00			4.00		96.00	
									Total Qty	11319.70	Sq-m

CE/EE
AE-Nandyal 8/12/19

Consultant

Contractor

for SREENIVAS CONSTRUCTIONS

PARTNER

Assistant Engineer

Assistant Executive E

Measurements recorded on:- 12/11/2019 , 14/11/2019

BOQ Item No	Description / Chainage		Side	Nos	L	B1	B2	Avg width	Depth	Quantity	Remarks
15	KSRRB M500-16. Providing and laying dense bituminous macadam 50-75mm compacted thickness with 4.5% VG-30 Bitumen using 40/60 TPH capacity H.M.P, using crushed aggregates of grading II, premixed with VG 30 grade bituminous binder and transporting the hot mix to work site, laying with mechanical paver to the required grade level and alignment rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH table 500-10, complete in all respects complete as per specification MORTH specification No. 507 (P.No.162 I.No. 21.17.6 of PW,P&IWTD S.R 2016-17)										
	For DBM										
	Badrappa Layout										
	1st Main Road										
	0.00	5.00		1	5.00	6.00	5.80	5.90	0.05	1.48	
	5.00	10.00		1	5.00	5.80	6.00	5.90	0.05	1.48	
	10.00	20.00		1	10.00	6.00	5.90	5.95	0.05	2.98	
	20.00	30.00		1	10.00	5.90	5.90	5.90	0.05	2.95	
	30.00	40.00		1	10.00	5.90	5.50	5.70	0.05	2.85	
	40.00	45.00		1	5.00	5.50	5.60	5.55	0.05	1.39	
	45.00	54.00		1	9.00	5.60	5.40	5.50	0.05	2.48	
	54.00	64.00		1	10.00	5.40	4.60	5.00	0.05	2.50	
	64.00	74.00		1	10.00	4.60	4.30	4.45	0.05	2.23	
	74.00	84.00		1	10.00	4.30	5.30	4.80	0.05	2.40	
	84.00	94.00		1	10.00	5.30	5.50	5.40	0.05	2.70	
	94.00	104.00		1	10.00	5.50	7.10	6.30	0.05	3.15	
	104.00	114.00		1	10.00	7.10	6.80	6.95	0.05	3.48	
	114.00	124.00		1	10.00	6.80	6.85	6.83	0.05	3.41	
	124.00	134.00		1	10.00	6.85	6.50	6.68	0.05	3.34	
	134.00	144.00		1	10.00	6.50	6.40	6.45	0.05	3.23	
	144.00	154.00		1	10.00	6.40	6.60	6.50	0.05	3.25	
	154.00	164.00		1	10.00	6.60	7.10	6.85	0.05	3.43	
	164.00	174.00		1	10.00	7.10	7.30	7.20	0.05	3.60	
	174.00	184.00		1	10.00	7.30	7.10	7.20	0.05	3.60	
	184.00	194.00		1	10.00	7.10	6.60	6.85	0.05	3.43	
	194.00	200.00		1	6.00	6.60	7.60	7.10	0.05	2.13	
	200.00	218.00		1	18.00	7.60	6.40	7.00	0.05	6.30	
	218.00	225.00		1	7.00	6.40	6.60	6.50	0.05	2.28	
	225.00	235.00		1	10.00	6.60	6.80	6.70	0.05	3.35	
	235.00	250.00		1	15.00	6.80	6.60	6.70	0.05	5.03	
	250.00	260.00		1	10.00	6.60	7.35	6.98	0.05	3.49	
	260.00	273.00		1	13.00	7.35	7.40	7.38	0.05	4.79	
	273.00	286.00		1	13.00	7.40	6.70	7.05	0.05	4.58	
	286.00	299.00		1	13.00	6.70	6.60	6.65	0.05	4.32	
	299.00	313.00		1	14.00	6.60	6.65	6.63	0.05	4.64	
	313.00	320.00		1	7.00	6.65	7.50	7.08	0.05	2.48	
										—	
	Kodigehalli Main Road									—	
	From Outer Ring Road to SWD									—	
	0.00	5.00		1	5.00	10.60	10.00	10.30	0.05	2.58	
	5.00	10.00		1	5.00	10.00	10.00	10.00	0.05	2.50	

CE & EC JR Nandan 14/11/19

107.77

Consultant

For SREENIVAS CONSTRUCTIONS

Contractor

Assistant Engineer

Assistant Executive Engineer

PARTNER